


# 8 Vertical 20 to 30 Lb. LPG Cylinder Capacity, Gas Cylinder Cabinet Locker, Aluminum -23010

### **Product Images**



### **Short Description**

- Sized for large, 33 lb (8 gal) liquid propane gas (LPG) cylinders and can also accommodate smaller 20 lb (5 gal) use cases
- Safely holds eight 20 or 33 lb (9 or 15 kg) liquid propane gas cylinders with exterior dimensions of 65 x  $30 \times 32$  in (1651 x 762 x 813 mm), stored vertically
- Lightweight material (66% lighter than steel) reduces shipping and transport costs
- Solid roof panel that slopes back to shed water and ice
- Pre-drilled anchor holes at each corner that accept 1/2" or 12mm anchor bolts (not included)

In compliance with NFPA 58 LP Gas Code 8.4.2.1, 6.19.4.2; CSA International B149.2.5.1.7, B149.2
 5.5.2.1(c); OSHA 1910.253

### **Description**

Justrite Cylinder Storage Cabinets for 8 Vertical 20 to 33 Lb. Cylinders (model 23010) provide upright storage of liquid petroleum gas (LPG) cylinders. It safely holds eight 20 or 33 lb (9 or 15 kg) vertical LPG cylinders with exterior dimensions of  $65 \times 30 \times 32$  in ( $1651 \times 762 \times 813$  mm). As one of three vertical LPG cylinder storage options and nine modular styles for comprehensive vertical and horizontal gas cylinder storage solutions, model 23010 includes 1 door and 1 removable shelf.

Gas cylinder storage lockers from Justrite are ideal for those seeking a long-term, trusted, one-and-done investment in a proven product with superior design and manufacturing considerations. These cylinder lockers from Justrite are extremely durable and easy-to-use. Welded security lug-on front panel door accepts a padlock (not included) for extra protection from tampering. Heavy gauge 0.065 (1.65mm) 100% welded aluminum mesh and extruded (not formed) frame add rigidity. Ventilated designs prevent buildup of dangerous gases. Justrite cylinder lockers do not rust, corrode, or discolor.

All our gas cylinder storage cages have an exclusive solid aluminum roof panel that slants toward the back to shed water and ice. They feature raised floor panels for added support, to prevent cylinders from resting in puddles. Justrite lockers ship fully assembled for easier setup.

Our customers use model 23010 to remain in compliance with NFPA 58, CSA-B149.2 and OSHA 1910.253 regulations, and more. Each locker includes four warning labels for added precautions and safety, and are supplied with chains to secure each cylinder from falling over.

Justrite gas cylinder lockers are available across a range of horizontal, vertical and combination options to meet the precise spatial and compliance needs for a range of situations. Eleven modular styles provide an efficient, attractive solution to expand multi-cabinet storage.

#### Safe LPG Cylinder Storage

When you're storing or transporting liquid petroleum gas (LPG), it's crucial that your facility or vehicle comply with local codes, regional requirements, commercial regulations, and recommendations from fire departments.

Liquid petroleum gas (LPG) has a wide range of industrial and residential applications, from gas welding to thermo applied coatings, furnaces, and more. But this substance is also extremely flammable in storage and transit, with the potential to ignite in room temperature air.

Handling this substance requires extreme caution, with absolutely no room for error. The gas is odorless in its natural state, which means that a deadly accident can happen with no warning during storage or transport.

## **Specifications**

Model No         23010           UPC         697841079090           International Model No.         230101           Pallet Quantity         1           Material Specifications         Aluminum           CSA Approval         Yes           OSHA Compliance         Yes           Complies with NFPA Code 30         Yes           Storage Type         Vertical           Cylinder Capacity         8           Number of Doors         1           Door Type         Manual           Number of Shelves         1           Adjustable Shelves         No           Dimensions, Exterior         65" H x 30" W x 32" D           Dimensions, Exterior         1651mm H x 762mm W x 813mm D           Net Weight, lbs         84.0           Net Weight, kg         38.1		
International Model No. 230101  Pallet Quantity 1  Material Specifications Aluminum  CSA Approval Yes  OSHA Compliance Yes  Complies with NFPA Code 30 Yes  Storage Type Vertical  Cylinder Capacity 8  Number of Doors 1  Door Type Manual  Number of Shelves 1  Adjustable Shelves No  Dimensions, Exterior 65" H x 30" W x 32" D  Dimensions, Exterior 1651mm H x 762mm W x 813mm D  Net Weight, lbs 84.0	Model No	23010
Pallet Quantity  Material Specifications  Aluminum  CSA Approval  Yes  OSHA Compliance  Yes  Complies with NFPA Code 30  Yes  Storage Type  Vertical  Cylinder Capacity  8  Number of Doors  1  Door Type  Manual  Number of Shelves  1  Adjustable Shelves  No  Dimensions, Exterior  Dimensions, Exterior  Net Weight, lbs  1  Aluminum  Yes  Yes  Yes  Vertical  Nem  Vertical  No  1  Anual  Manual  No  1  Aluminum  Yes  Vertical  No  1  1  Anual  No  No  Dimensions, Exterior  1651mm H x 762mm W x 813mm D  Net Weight, lbs	UPC	697841079090
Material Specifications  CSA Approval  Yes  OSHA Compliance  Yes  Complies with NFPA Code 30  Yes  Storage Type  Vertical  Cylinder Capacity  8  Number of Doors  1  Door Type  Manual  Number of Shelves  1  Adjustable Shelves  No  Dimensions, Exterior  65" H x 30" W x 32" D  Dimensions, Exterior  1651mm H x 762mm W x 813mm D  Net Weight, Ibs	International Model No.	230101
CSA Approval  OSHA Compliance  Yes  Complies with NFPA Code 30  Yes  Storage Type  Vertical  Cylinder Capacity  8  Number of Doors  1  Door Type  Manual  Number of Shelves  1  Adjustable Shelves  No  Dimensions, Exterior  65" H x 30" W x 32" D  Dimensions, Exterior  1651mm H x 762mm W x 813mm D  Net Weight, lbs  84.0	Pallet Quantity	1
OSHA Compliance Yes  Complies with NFPA Code 30 Yes  Storage Type Vertical  Cylinder Capacity 8  Number of Doors 1  Door Type Manual  Number of Shelves 1  Adjustable Shelves No  Dimensions, Exterior 65" H x 30" W x 32" D  Dimensions, Exterior 1651mm H x 762mm W x 813mm D  Net Weight, lbs 84.0	Material Specifications	Aluminum
Complies with NFPA Code 30  Yes  Storage Type  Vertical  Cylinder Capacity  8  Number of Doors  1  Door Type  Manual  Number of Shelves  1  Adjustable Shelves  No  Dimensions, Exterior  65" H x 30" W x 32" D  Dimensions, Exterior  1651mm H x 762mm W x 813mm D  Net Weight, Ibs  84.0	CSA Approval	Yes
Storage Type  Cylinder Capacity  8  Number of Doors  1  Door Type  Manual  Number of Shelves  1  Adjustable Shelves  No  Dimensions, Exterior  Dimensions, Exterior  1651mm H x 762mm W x 813mm D  Net Weight, lbs  84.0	OSHA Compliance	Yes
Cylinder Capacity 8  Number of Doors 1  Door Type Manual  Number of Shelves 1  Adjustable Shelves No  Dimensions, Exterior 65" H x 30" W x 32" D  Dimensions, Exterior 1651mm H x 762mm W x 813mm D  Net Weight, lbs 84.0	Complies with NFPA Code 30	Yes
Number of Doors1Door TypeManualNumber of Shelves1Adjustable ShelvesNoDimensions, Exterior65" H x 30" W x 32" DDimensions, Exterior1651mm H x 762mm W x 813mm DNet Weight, lbs84.0	Storage Type	Vertical
Door TypeManualNumber of Shelves1Adjustable ShelvesNoDimensions, Exterior65" H x 30" W x 32" DDimensions, Exterior1651mm H x 762mm W x 813mm DNet Weight, lbs84.0	Cylinder Capacity	8
Number of Shelves1Adjustable ShelvesNoDimensions, Exterior65" H x 30" W x 32" DDimensions, Exterior1651mm H x 762mm W x 813mm DNet Weight, lbs84.0	Number of Doors	1
Adjustable Shelves  No  Dimensions, Exterior  65" H x 30" W x 32" D  Dimensions, Exterior  1651mm H x 762mm W x 813mm D  Net Weight, lbs  84.0	Door Type	Manual
Dimensions, Exterior 65" H x 30" W x 32" D  Dimensions, Exterior 1651mm H x 762mm W x 813mm D  Net Weight, lbs 84.0	Number of Shelves	1
Dimensions, Exterior 1651mm H x 762mm W x 813mm D  Net Weight, lbs 84.0	Adjustable Shelves	No
Net Weight, lbs 84.0	Dimensions, Exterior	65" H x 30" W x 32" D
	Dimensions, Exterior	1651mm H x 762mm W x 813mm D
Net Weight, kg 38.1	Net Weight, lbs	84.0
	Net Weight, kg	38.1

7/1/25