

4 Gallon Portable Self-Contained Hughes Eye Wash Station, Pressurized - 38GEW

Product Images



Short Description

HUGHES



Justrite Safety Group

- 4 US gallon (15-liter) stainless steel cylinder with handheld drench hose effectively washes eyes, face and body
- Delivers up to three minutes of water when pressurized to 100 PSI (6.9 bar) via a Schrader tire valve
- Pressure gauge and dual action safety valve prevent over pressurization and allow the user to vent the cylinder for cleaning and maintenance

Description

This portable wash offers an effective solution in locations that are unsuitable for fixed installations and should be used as a secondary safety measure to supplement plumbed in eye/face wash units. Includes an inspection record tag for recording test and service history.

Specifications

Model No	38GEW
Color	Green
UPC	805042000168
Brand	Justrite
Capacity	4 gallon
Net Weight, lbs	11
Filled Weight, lbs	44
Filled Weight, kg	20
Dimensions, Exterior	32.3" H x 8.1" W x 11.5" D
Dimensions, Exterior	820mm H x 205mm W x 205mm D
Minimum Operating Pressure	6.9 bar g, 100 PSI
Maximum Operating Pressure	69 bar g, 1000 PSI
Water Flow Eye/Face Liters/min	6
Water Flow Eye/Face US Gal/min	1.59
Material Specifications	Stainless Steel Cylinder
Mounting Type	Portable
Activation Method	Squeeze grip operated with lock-on actuating button
Minimum Ambient Temperature, °F	41
Minimum Ambient Temperature, °C	5
Maximum Ambient Temperature, °F	95
Maximum Ambient Temperature, °C	35
Operation Duration, min	3